

EIFFEL TRANSYN ATF AL4

High performance Automatic Transmission Oil



Product Data Sheet

Eiffel Transyn ATF AL4 is a high-performance automatic transmission oil, formulated with high quality fully synthetic base stocks and sophisticated additive system including high shear stable viscosity index improvers, antioxidants, providing smooth & controlled friction/wear characteristics, optimum low temperature fluidity, that meets or exceeds the stringent requirement specifications and provides protection in AL4 transmissions. Suitable for all automatic, semi-automatic transmissions or torque converters in passenger cars and commercial vehicles, also used in applications like electronically controlled convertor clutches, 4HP20 and ZF 5HP19 gear boxes and transmissions where LT 71141 is recommended

Features and Benefits

Excellent cold properties.

Balanced additive performance ensuring a smooth transmission.

Specifications

Transyn AL4 meets or exceeds following International and Builder specifications:

- VW TL 52162
- MB-Approval 236.11
- ZF TE-ML 03D/04D/09/11A/11B/14A/17C

Applications

EIFFEL AL4 is designed to meet the specific requirements of automatic transmissions.

ATF is used for the AL4 and 4HP20 gear boxes as the automatic transmission fluid.

Typical Characteristics

Transyn atf	Test Method	Units	AL4
Color	Visual	-	Red
Density @ 15 °C	ASTM D 4052	gm/cc	0.843
Viscosity @ 100 °C	ASTM D 445	cSt	7.1
Viscosity @ 40 °C	ASTM D 445	cSt	37.9
Viscosity Index	ASTM D 2270	-	156
Pour Point	ASTM D 97	°C	-51
Flash Point (COC)	ASTM D 92	°C	215

The above figures are typical of blends with normal production tolerance and do not constitute a specification.

For further information, please contact: sales@eifflubricants.com